



AECOPOST

Unplugged, Full Color ePaper Solution

AecoPost



Built-in
Battery



Lightweight



Portable



Power-
efficient



Vivid
Full Colors



Paper-like
Visuals



Flexible Content
Management

AecoPost is a sustainable ePaper solution for retailers. This innovative battery-operated device consumes zero watts for static images and minimal power during updates. With outstanding battery life and portability, AecoPost enhances marketing effectiveness while reducing paper waste and energy consumption. We offer both a user friendly app and a cloud-based platform to address diverse user needs.

Power-efficient, Long-lasting Performance


Zero Power for Static Visuals

Bistable technology enables AecoPost to consume an impressive zero watts* when displaying static visuals, drawing only minimal power during content changes.

* Below 0.005W, officially considered 0W per IEC62301.



Long Battery Life, up to 6 Months




AecoPost is battery-powered, lasting up to 6 months* under the recommended usage conditions after a full charge.


* Based on 5 daily updates, battery life may vary depending on Wi-Fi conditions and the content displayed.

Unplugged, Communicate Anywhere


The AecoPost features an unplugged design for easy placement throughout your store, similar to traditional printed posters. It is suitable for mounting on the floor, wall, and ceiling, as well as on a table.



Retail




Hospitality



Healthcare



Education



Corporate



Public Spaces

Vivid Full Color, Paper-like Visuals

Rich Color Palette

The AecoPost utilizes E Ink Spectra™ 6 display technology, offering a palette of six colors: red, yellow, green, blue, black, and white. It is enhanced with AecoColor*, the color algorithm from AUO Display Plus, to deliver more vivid visuals.



Previous EPD Technology Limited Colors



AecoPost Featuring E Ink Spectra™ 6 and enhanced by AecoColor*



Conventional Display With Reflection



AecoPost Reduced Reflections

Clarity and Readability in Bright Conditions

The AecoPost delivers high image clarity in bright environments by reflecting ambient light like printed paper, enhancing visibility and reducing eye fatigue.

Flexible Content Management via Cloud or Mobile App

The AecoPost* provides a cloud management platform for centralized control and scheduling of display content across various locations. Additionally, the mobile app delivers flexibility and convenience for any business seeking fast deployment and on-the-go usability.

* Mobile app and cloud platform availability may vary by model.



Seamless API Integration

The AecoPost cloud management platform integrates seamlessly with clients' existing CMS via API, enabling efficient content management and updates without disruptions, enhancing user experience and operational efficiency.



PCR Plastic & Recyclable Packaging

Reduced Plastic Footprint

The AecoPost chassis incorporates PCR plastic*, reducing carbon impact while maintaining durability and quality. Its packaging also uses paper based cushioning, eliminating plastic and simplifying recycling.

* PCR plastic applies to the 13.3" AecoPost, containing 35% recycled PCR material.



Specifications

Product	133 Model	315 Cloud Model	315 Mobile Model
Installation Direction	Landscape / Portrait		
Display Screen	Size	13.3" (3:4)	31.5" (16:9)
	Resolution	1,200 x 1,600	2,560 x 1,440
	Color	Full color	
	Screen Size	202.8 x 270.4 (mm)	692.32 x 387.68 (mm)
System	Storage	16 GB (8GB available space)	
	Wi-Fi Wireless LAN	IEEE802.11 a/b/g/n/ac/ax compliant (Wi-Fi station mode)	IEEE802.11 a/b/g/n/ac/ax compliant (Wi-Fi AP mode)
	Bluetooth	Bluetooth LE 5.4	N/A
Mounting	VESA 4-point fastening (100 x 100 mm apart) (screws M4)		
Power Supply	AC 100~240V, 50/60 Hz (when using AC adapter), DC 12V		
Environmental Conditions	Operating Temperature	0-40 °C	
	Operating Humidity	30-80% RH (Non-condensing)	
Dimension	228.8 x 304.4 x 15 (mm)	734.32 x 429.68 x 34 (mm)/13 (mm)	
Weight	0.71 kg (w/battery)	3.1 kg (w/battery)	
Package Size	475 x 295 x 63 (mm)	812 x 506 x 120 (mm)	
Content Management	App via Bluetooth / Cloud-platform	Cloud-platform	App via Wi-Fi



Visit Solution Page

✉ info@auodplus.com
 🌐 auodplus.com

Taiwan (Headquarters)
 AUO Display Plus Corp.
 +886-3-5631288

USA
 AUO Display Plus America Corp.
 Boston: +1-781-362-4757

Europe
 AUO Display Plus Netherlands, B.V.

Southeast Asia
 AUO Display Plus Singapore Pte. Ltd.
 Singapore: +65-6424-9888

Japan
 AUO Display Plus Japan Corp.
 Tokyo: +81-3-6435-1898

China
 AUO Display Plus Technology (Suzhou) Co. Ltd
 Shenzhen: +86-755-2585-7795

Product features and specifications may vary by region and may change without notice. This material may include corporate names and trademarks owned by third parties, which remain the property of their respective owners.
 Doc: AecoPost_EN_202602

© 2026 AUO Display Plus Corporation. All rights reserved.